



glass.

by gaviota

Calle de la Térmica, 4
03638 Salinas (Alicante) - España / Spain
hola@glassbygaviota.com
www.glassbygaviota.com



Pergo Cloud







Pergo Cloud




Pergo Cloud

Pergo Cloud destaca por su robustez gracias a sus perfiles que asimismo, ofrecen unas grandes dimensiones.

Pergo Cloud stands out for its robustness, thanks to its structural profiles, which also offer generous dimensions.

Pensado para instalar en

Designed for installation in



Sujeción


Fixing method



Recomendado hasta

Recommended up to

Sin cerramientos Without enclosures	Cerramiento lona Fabric enclosure	Cerramiento vidrio Glass enclosure
5000 línea x 6000 salida (mm) 5000 width x 6000 projection (mm)	5000 línea x 6000 salida (mm) 5000 width x 6000 projection (mm)	4000 línea x 4000 salida (mm) 4000 width x 4000 projection (mm)



L = Línea • Width
S = Salida • Projection
A = Altura • Height

Se distingue por

It is characterised by

- Pérgola de vigas horizontales y palillos curvados.
- Lona tensada.
- Drenaje por bajantes a través de los postes (poste seco, se puede definir en obra).
- Estanqueidad asegurada por juntas, sin silicona. **Patentado.**
- Capitel de diseño único, y que no guarda mano. Válido para pared o autoportante.
- Guías y postes premontados en taller.
- Unión suelo atornillable a sistema completado. Permite cuadrar diagonales y fijar a última hora.
- Fácil operación de tensado de correa (mantenimiento).
- Fácil cableado, conectores plug&play.
- No necesita mecanizados, sólo taladros con ayuda de plantillas.
- Tapa con paso para conectores.
- Tapas en aluminio lacadas en color de estructura (esquineros y uniones suelo).
- Uniones suelo invisibles.
- *Pergola with horizontal beams and curved crossbars.*
- *Tensioned fabric.*
- *Drainage via downpipes integrated into the posts (dry post, can be defined on site)*
- *Watertightness ensured by gaskets, no silicone required. **Patented.***
- *Unique top cap design, reversible (non-handed); suitable for wall-mounted or self-supporting installation.*
- *Guides and posts pre-assembled in the workshop.*
- *Bolt-down floor connection to completed system; allows diagonal adjustment and last-minute fixing.*
- *Easy belt re-tensioning (for maintenance).*
- *Simple cabling with plug & play connectors.*
- *No machining required, only drilling with supplied templates.*
- *Connector access cap included*
- *Aluminum covers lacquered in structure color (corners and floor joints).*
- *Concealed floor fixings.*



Autoportante
Self-Supporting



Entre Paredes
Between Walls



Pared Portería
Wall-Mounted